




EASY GLASS[®] SMART

SET A SPEED RECORD



Incorporates the Q-disc System. Turn to page 40 to find out all about this groundbreaking new approach to securing glass infills.

Unbeatable ease of installation

Easy Glass® Smart is a glass railing revolution. Complicated anchoring systems are a thing of the past. With a host of innovative features, including the Q-disc® System for glass mounting, Easy Glass® Smart lets you carry out installation or removal in a quick, intuitive and controlled fashion. In fact, those jobs can be finished faster than with any other quality glass railing. And it's just one way this highly economical system will save you money.

- Symmetrical top-mount base shoe
- Light and medium use railings for indoor and outdoor settings
- Minimal use of anchors in base shoe installation
- A choice of fixing methods: hexagon bolts, mechanical anchors or stud anchors
- Easy to work on with the tools supplied
- Optional aluminium shoe shims available for levelling uneven surfaces

Easy Glass® Smart	UK	DE	NL	IT	CH	ES	FR
Max. line load (kN/m)	0,74	1,0	1,0	2,0	1,6	3,0	1,0


Please refer to the respective certificates for specifications such as mounting details and glass dimensions. For more information, please visit our website: www.q-railing.com/certificates



EASY GLASS® SMART VARIANTS


Smart Top mount

- Also for in-floor mounting (protective layer needs to be applied)




Smart Fascia mount

- Optional base shoe cladding



- Also allows inverse mounting
- For parapet walls
- Optional base shoe cladding





Q-DISC® SYSTEM

THE INNOVATION THAT TURNS THE WORLD UPSIDE DOWN



Installing a glass railing will never be the same again. The revolutionary Q-disc® System speeds up the glass mounting process by radically simplifying it. Easy Glass® Smart is the first glass railing ever to include the Q-disc System.

How it works:

1


Put the inlay into the Easy Glass Smart base shoe

2

Position the glass panel

3

Insert the Q-disc




4

Connect the tool to the Q-disc and push it sideways to secure the infill

Railing bases

EASY GLASS® SMART - Base shoe, top mount



MOD 6930

Aluminium	Mill finish				£ / pc.	
INDOOR	X					
16.6930.500.00	100	QS-558	465 / QS-561	466	L = 5000 mm	433,15
Aluminium	Brushed aluminium				£ / pc.	
OUTDOOR	X					
16.6930.000.18	50	QS-557	465 / QS-560	466	L = 2500 mm	235,45
16.6930.500.18	100	QS-557	465 / QS-560	466	L = 5000 mm	470,90




International Design Model Protection

Railing bases

EASY GLASS® SMART - Q-disc® System (rubber and wedges set)


For non-adjustable glass fixation



MOD 6930

Accessories	T		£ / set
19.6930.912.00	12	L = 5000 mm	94,20
19.6930.913.00	12,76 (6-0,76-6) - 13,52 (6-1,52-6)	L = 5000 mm	94,20
19.6930.915.00	15	L = 5000 mm	94,20
19.6930.917.00	16,76 (8-0,76-8) - 17,52 (8-1,52-8)	L = 5000 mm	94,20
19.6930.919.00	19	L = 5000 mm	94,20
19.6930.921.00	20,76 (10-0,76-10) - 21,52 (10-1,52-10)	L = 5000 mm	94,20

International Design Model Protection



MOD 6930

Accessories	T		£ / set
19.6930.517.00	16,76 (8-0,76-8) - 17,52 (8-1,52-8)	L = 25 m	457,15
19.6930.521.00	20,76 (10-0,76-10) - 21,52 (10-1,52-10)	L = 25 m	457,15

NEW

International Design Model Protection

Q-disc System: Glass is securely retained. Drilling is not necessary.

Q-INFO


PREFIX

We can deliver the following service according to your specification:

- Drilling
- Cutting
- Bending
- Powder coating (aluminium mill finish products)

Contact us for details.


Q-INFO MOD 6930



Mill finish



Brushed aluminium, anodised



Accessories

	T		£ / pc.
19.6942.012.00	12	10	3,75
19.6942.013.00	12,76 (6-0,76-6) - 13,52 (6-1,52-6)	10	3,75
19.6942.015.00	15	10	3,75
19.6942.017.00	16,76 (8-0,76-8) - 17,52 (8-1,52-8)	10	3,75
19.6942.019.00	19	10	3,75
19.6942.021.00	20,76 (10-0,76-10) - 21,52 (10-1,52-10)	10	3,75

NEW

International Design Model Protection

Fixing materials for railing systems





MOD 4712

Zinc-plated								
INDOOR	QS	Type	Ø		L			£ / pc.
19.4712.110.15	QS-561	Q SZ 12/10	12	Ø12	85	25		1,70
316								
OUTDOOR	QS	Type	Ø		L			£ / pc.
19.4712.110.14	QS-560	Q SZ 12/10 A4	12	Ø12	85	25		7,60



Q-INFO

Manual Q-anchor SZ 12/10




MOD 4512

Zinc-plated								
INDOOR	QS	Type	Ø					£ / pc.
19.4512.124.15	QS-558	Q VMZ-IG 90 M12	Ø18				10	13,10
316								
OUTDOOR	QS	Type	Ø					£ / pc.
19.4512.124.14	QS-557	Q VMZ-IG 90 M12 A4	Ø18				10	19,35



Q-INFO

Manual Q-anchor VMZ-IG



Select the right anchor for your installation from the overviews at www.q-railing.com/anchor


EASY GLASS® SMART - Q-disc® tool



MOD 6920

Accessories								
Q								£ / pc.
19.6920.002.00	Q-83						1	18,00

Q-INFO MOD 6920



Fixing materials for railing systems



MOD 4412

Zinc-plated

INDOOR	QS	Type	M	L	£/pc.
19.4412.175.15	QS-276	Q-VMU-A 12x175	12	175	1,40


316	QS	Type	M	L	£/pc.
19.4412.175.14	QS-277	Q-VMU-A 12x175	12	175	4,30



Select the right anchor for your installation from the overviews at www.q-railing.com/anchor


Q-INFO

Manual Q-anchor VMU



Railing bases

EASY GLASS® SMART - Connectors, top mount



MOD 6313

Aluminium

Mill finish

INDOOR	QS	£/ pc.
16.6313.030.00	QS-558 @ 465 / QS-561 @ 466	86,45

Aluminium












Brushed aluminium

OUTDOOR	QS	£/ pc.
16.6313.030.18	QS-557 @ 465 / QS-560 @ 465	94,20



EASY GLASS® SMART - Base shoe, top mount

Q-INFO MOD 6930




VSG (2x ESG): Laminated glass from toughened glass
ESG : Toughened glass

Please refer to the respective certificates for specifications such as mounting details and glass dimensions.


Assembly video:
www.q-railing.com/videos

EASY GLASS® SMART - End fittings, top mount



MOD 6734

Aluminium	Mill finish		
INDOOR			£ / pc.
16.6734.030.00		1	22,00
Aluminium	Brushed aluminium		
OUTDOOR			£ / pc.
16.6734.030.18		1	26,75




MOD 6736

Aluminium	Mill finish		
INDOOR			£ / pc.
16.6736.030.00		1	23,95
Aluminium	Brushed aluminium		
OUTDOOR			£ / pc.
16.6736.030.18		1	28,35




EASY GLASS® SMART - Shoe shims



MOD 6921

Aluminium	Mill finish		
		X	£/100pcs.
19.6921.160.00		1	85,00
19.6921.260.00		2	100,00
19.6921.360.00		3	130,00

EASY GLASS® - Connection pins




MOD 3005


316			
OUTDOOR			£ / pc.
14.3005.000.00		6	0,70




Q-INFO MOD 6921




Q-INFO MOD 6734



Q-INFO MOD 6736



EASY GLASS® SMART - Base shoe, fascia mount



MOD 6931


Aluminium	Mill finish				£ / pc.	
INDOOR	X					
16.6931.500.00	100	QS-558	465 / QS-561	466	L = 5000 mm	471,60
Aluminium	Brushed aluminium					£ / pc.
OUTDOOR	X					
16.6931.000.18	50	QS-557	465 / QS-560	465	L = 2500 mm	259,55
16.6931.500.18	100	QS-557	465 / QS-560	465	L = 5000 mm	519,05



International Design Model Protection

EASY GLASS® SMART - Q-disc® System (rubber and wedges set)

For non-adjustable glass fixation



MOD 6930

Accessories	T		£ / set
19.6930.912.00	12	L = 5000 mm	94,20
19.6930.913.00	12,76 (6-0,76-6) - 13,52 (6-1,52-6)	L = 5000 mm	94,20
19.6930.915.00	15	L = 5000 mm	94,20
19.6930.917.00	16,76 (8-0,76-8) - 17,52 (8-1,52-8)	L = 5000 mm	94,20
19.6930.919.00	19	L = 5000 mm	94,20
19.6930.921.00	20,76 (10-0,76-10) - 21,52 (10-1,52-10)	L = 5000 mm	94,20

International Design Model Protection

Q-INFO

PREFIX


We can deliver the following service according to your specification:

- Drilling
- Cutting
- Bending
- Powder coating (aluminium mill finish products)

Contact us for details.

Q-INFO


MOD 6931



Mill finish



Brushed aluminium, anodised



MOD 6930

Accessories	T		£ / set
19.6930.517.00	16,76 (8-0,76-8) - 17,52 (8-1,52-8)	L = 25 m	457,15
19.6930.521.00	20,76 (10-0,76-10) - 21,52 (10-1,52-10)	L = 25 m	457,15

NEW

International Design Model Protection



Accessories	T		£ / pc.
19.6942.012.00	12	10	3,75
19.6942.013.00	12,76 (6-0,76-6) - 13,52 (6-1,52-6)	10	3,75
19.6942.015.00	15	10	3,75
19.6942.017.00	16,76 (8-0,76-8) - 17,52 (8-1,52-8)	10	3,75
19.6942.019.00	19	10	3,75
19.6942.021.00	20,76 (10-0,76-10) - 21,52 (10-1,52-10)	10	3,75

NEW

International Design Model Protection

Q-disc System: Glass is securely retained. Drilling is not necessary.

Fixing materials for railing systems



MOD 4712



Zinc-plated

INDOOR	QS	Type	Ø		L		£ / pc.
19.4712.110.15	QS-561	Q SZ 12/10	12	Ø12	85	25	1,70
316							
OUTDOOR	QS	Type	Ø		L		£ / pc.
19.4712.110.14	QS-560	Q SZ 12/10 A4	12	Ø12	85	25	7,60



Q-INFO

Manual Q-anchor SZ 12/10



MOD 4512


Zinc-plated

INDOOR	QS	Type			£ / pc.
19.4512.124.15	QS-558	Q VMZ-IG 90 M12	Ø18	10	13,10
316					
OUTDOOR	QS	Type			£ / pc.
19.4512.124.14	QS-557	Q VMZ-IG 90 M12 A4	Ø18	10	19,35



Q-INFO

Manual Q-anchor VMZ-IG



Select the right anchor for your installation from the overviews at www.q-railing.com/anchor

EASY GLASS® SMART - Q-disc® tool




MOD 6920

Accessories

	Q		£ / pc.
19.6920.002.00	Q-83	1	18,00

Q-INFO

MOD 6920



Fixing materials for railing systems



MOD 4412


Zinc-plated		Type	M	L	£/pc.
INDOOR	QS				
19.4412.175.15	QS-276	Q-VMU-A 12x175	12	175	1,40
316					
OUTDOOR	QS	Type	M	L	£/pc.
19.4412.175.14	QS-277	Q-VMU-A 12x175	12	175	4,30



Select the right anchor for your installation from the overviews at www.q-railing.com/anchor


Q-INFO

Manual Q-anchor VMU




Railing bases

EASY GLASS® SMART - Connectors, fascia mount



MOD 6315

Aluminium		Type	M	L	£/pc.
INDOOR	QS				
16.6315.031.00	QS-558	465 / QS-561	466	1	94,20
Brushed aluminium					
OUTDOOR	QS	Type	M	L	£/pc.
16.6315.031.18	QS-557	465 / QS-560	466	1	103,80














MOD 6316

Aluminium		Type	M	L	£/pc.
INDOOR	QS				
16.6316.031.00	QS-558	465 / QS-561	466	1	94,20
Brushed aluminium					
OUTDOOR	QS	Type	M	L	£/pc.
16.6316.031.18	QS-557	465 / QS-560	466	1	103,80



EASY GLASS® SMART - Base shoe, fascia mount

Q-INFO MOD 6931



VSG (2x ESG): Laminated glass from toughened glass
 ESG : Toughened glass


Please refer to the respective certificates for specifications such as mounting details and glass dimensions.

▶ Assembly video:
www.q-railing.com/videos

EASY GLASS® SMART - End fittings, fascia mount



Use with and without cladding
Left




MOD 6734

Aluminium	Mill finish		
INDOOR			£ / pc.
16.6734.031.00		1	23,55
Aluminium	Brushed aluminium		
OUTDOOR			£ / pc.
16.6734.031.18		1	27,60



Use with and without cladding
Right




MOD 6735

Aluminium	Mill finish		
INDOOR			£ / pc.
16.6735.031.00		1	23,55
Aluminium	Brushed aluminium		
OUTDOOR			£ / pc.
16.6735.031.18		1	27,60



Use with and without cladding
For stairs
Left




MOD 6736

Aluminium	Mill finish		
INDOOR			£ / pc.
16.6736.031.00		1	25,35
Aluminium	Brushed aluminium		
OUTDOOR			£ / pc.
16.6736.031.18		1	29,70



Use with and without cladding
For stairs
Right




MOD 6737


Aluminium	Mill finish		
INDOOR			£ / pc.
16.6737.031.00		1	25,35
Aluminium	Brushed aluminium		
OUTDOOR			£ / pc.
16.6737.031.18		1	29,70



Q-INFO MOD 6734 / 6735



Q-INFO MOD 6736 / 6737



Railing bases

EASY GLASS® SMART - Cladding, fascia mount

Front side cladding



MOD 6920


Aluminium	Brushed aluminium		
OUTDOOR			£ / pc.
16.6920.531.18	L = 5000 mm		163,50



Railing bases

EASY GLASS® SMART - Blind plugs for fascia mounting

Use without cladding




MOD 6915

ABS plastic	Aluminium RAL 9006		
OUTDOOR			£ / pc.
24.6915.033.36	10		1,30

Railing bases

EASY GLASS® - Connection pins



MOD 3005

316			
OUTDOOR			£ / pc.
14.3005.000.00	6		0,70



Q-INFO MOD 6920

